

CFS Shear Wall Preliminary Test

08/14/2018 - dgo

Site	Description	IP:PORT	SID	GPS RX model	GPS RX s/n	RX firm	Antenna model	Antenna s/n	Radome	SCIGN Adapter s/n	GM s/n	GM firm	ACC s/n	ACC firm	comment
STPA	platen A, GPS data	137.110.165.38:50000	526	Topcon NET-G3A	618-01166	3.5	Topcon CR-G3	383-1921	SCIS	1826	n/a	n/a	n/a	n/a	
	accelerometer on STPA	137.110.165.38:50001	see STPA	see STPA	see STPA	see STPA	see STPA	see STPA	see STPA	see STPA	0025	3.43	007	1009	GM "SEN1"
STPB	platen B, GPS data	137.110.165.39:2102	527	Trimble Net R9	5303K57523	4.80	Topcon CR-G3	383-1931	SCIS	2128	n/a	n/a	n/a	n/a	terminal server, port 2
	accelerometer on STPB	137.110.165.38:50002	see STPA	see STPA	see STPA	see STPA	see STPA	see STPA	see STPA	see STPA	0025	3.43	055	1009	GM "SEN2"

For the shake tables IPs, the GW=137.110.165.1 and the MASK=255.255.255.192

The ACL is restricted to:

132.239.152.69 (geodrt02.ucsd.edu) - [primary RTD Client]

132.239.152.109 (georts03.ucsd.edu) - [GAM Client and Glen maintenance access], from UCSD only